

Ultra Low Emission Bus Scheme Certificate

Customer:	Alexander Dennis	D	DYNAMOMETER SETTINGS			
Customer Address:	Cameron House, Priorswood Place, East	Measured k	11793			
Test Purpose:	ULEB Testing	Equivalent test passengers		17		
Vehicle Manufacturer:	Alexander Dennis	Seated Capacity	34	Tes	Test Weight	
Vehicle Type & Number:	Alexander Dennis E200 EV	Passenger Capacity	65	F°	271.17	N
Engine:	EV	Declared Kerb Weight (kg)	12246	F ¹	-5.3817	N/kmh
Transmission:	BYD E200 gen 3	Gross Vehicle Weight (kg)	18000	F ²	0.32413	N/kmh²
Euro VI certificate Y/N	Manufacturer Certified	GVW CHECK	ОК	F ³	-0.0018330	N/kmh ³

Declared fuel, properties and source plus carbon conversion factors

Net Heating Value: Diesel	36.00	MJ / Litre	Fuel Provider	UK market standard
Well-to-Tank Factor: Diesel	17.23	g CO2e / MJ	WTT evidence	UK GHG reporting factors 2019
Well-to-Tank Factor: Electricity	87.77	g CO2e / MJ	Fuel Type	UK Grid Electricity

Emissions and Energy consumption results from approved test facility - Average 4 tests

Test Phase	HC (g/km)	CO (g/km)	NOx (g/km)	PM (g/km)	CO ₂ (g/km)	CH ₄ (g/km)	N₂O (g/km)	Energy Consumption (Kwh/km)	Energy Consumption (Kwh)	Energy used over phase/cycle (kWh/100km)
Outer London	0.000	0.000	0.000	0.00	0.0	0.000	0.000	1.17	7.49	147.402
Inner London	0.000	0.000	0.000	0.00	0.0	0.000	0.000	1.66	4.05	209.666
Rural	0.000	0.000	0.000	0.00	0.0	0.000	0.000	0.85	6.27	107.540
LBC Average	0.000	0.000	0.000	0.00000	0.0	0.000	0.000	1.32	11.54	167.032
UKBC Average	0.000	0.000	0.000	0.0000	0.0	0.000	0.000	1.10	18.01	138.755

Zero Emissions (Z.E.) Range: Energy consumption and charging efficiency								
Total measured energy consumed on vehicle (kWh) 72.1 Distance in Z.E. mode (km) 65.0 Usable Battery Capacity (kWh) 330								
Measured grid energy during charging (kWh)*	N/A	Charging efficiency (%)	79%	Max Theoretical Z.E. Range (km)	300			

Total Tank-to-Wheel GHG CO ₂ equivalent								
Test Phase	CO ₂ (g/km)	CH ₄ (g/km x 25)	N₂O (g/km x 298)	Fuel TTW** GHG (CO2 Equivalent g/km)				
Outer London	0.0	0.000	0.000	0.0				
Inner London	0.0	0.000	0.000	0.0				
Rural	0.0	0.000	0.000	0.0				
LBC Average	0.0	0.000	0.000	0.0				
UKBC Average	0.0	0.000	0.000	0.0				

Test Phase	Fuel Energy	Fuel WTT*GHG Emissions	Electrical Energy	Electricity WTT* GHG Emissions	Measured Fuel TTW** GHG Emissions	Total WTW*** GHG Emissions	
	(MJ /km)	(g CO ₂ e / km)	(MJ / km)	(g CO ₂ e / km)	(g CO₂e / km)	(g CO ₂ e / km)	
Outer London	N/A	N/A	5.31	465.75	0.0	465.7	
Inner London	N/A	N/A	7.55	662.49	0.0	662.5	
Rural	N/A	N/A	3.87	339.80	0.0	339.8	
LBC Average	N/A	N/A	6.01	527.77	0.0	527.8	
UKBC Average	N/A	N/A	5.00	438.43	0.0	438.4	

Data Generated by (On behalf of Test facility):

Date: 12/11/19

Data Approved by:

Date: 12/11/19

Ultra Low Emission Bus Certificate Summary							
GHG Well-to-Wheel	438.4	g CO₂e / km					
Euro VI Average Diesel Equivalent	1114.1	g CO₂e / km					
WTW GHG saving (compared with Euro VI diesel equivalent)	675.7	g CO₂e / km					
% WTW GHG saving (compared with Euro VI diesel equivalent)	61%	g CO₂e / km					
Max Theoretical Zero Emission Operating Range (km)	299.9	km					
WTW CO₂ per passenger km (@ Max Pass Capacity)	6.7	g CO ₂ e/pass km					
Approved as Ultra-Low Emission Bus? (30% saving or more)	YES						

* WTT : Well-to-Tank ** TTW : Tan	nk-to-Wheel	*** WTW : Well-to Wheel		WTT Factors Publis	shed: 7th June 2019
Comments:			Cell	Lower Saloon	Upper Saloon
Charge efficiency could not be measured, a value from ADL BYD E200 (H293) tester been used.	Target Temperatures ±2 (°C) :	10	17	N/A	
Electrical window demister on for testing, no air demister.		Average Temperatures across testing (°C)	9.30	17.67	N/A

<u>Test Numbers:</u> ML02018952 (06.11.19), ML02018954 (06.11.19), ML02018955 (06.11.19), ML02018956 (06.11.19)

Certificate Approved by:

On behalf of Bus manufacturer

Certificate Approved by:

On behalf of LowCVP/DfT