

Zero Emission Bus Certificate

Customer:	Wrightbus			DYNAMOMETER SETTINGS		
Customer Address:	201 Galgorm Rd, Ballymena, County Antrim, BT42 1SA	Telematics Capability	Yes	Test Weight	15000	kg
Test Purpose:	Zero Emission Bus Testing	Maximum Speed (km/h)	80 km/h	F°	-450.71	N
Vehicle Manufacturer:	Wrightbus	Seated Capacity	64	F ¹	-4.0638	N/kmh
Vehicle Model Name:	Streetdeck Electroliner AT434	Passenger Capacity	98	F ²	0.09788	N/kmh ²
Powertrain Technology:	Battery Electric	Declared Unladen Weight (kg)	12749	Equivalent test passengers	32	passengers
Powertrain Configuration:	Direct Drive	Gross Weight (kg)	19500	Measured Unladen Weight	13149	kg
Zero Emission Heating:	Heat Pump	GVW Check	OK	Number of consecutive tests completed	4	Tests
Battery Specification		Charging and Refuelling Capability		Hydrogen Specification		
Battery Manufacturer	Forsee Power	Plug Type	CCS2 & OppCharge	Fuel Cell Manufacturer	N/A	
Battery Chemistry	NMC	Max Charge Capability (kW)	Up to 150kW/360 kW	Fuel Cell Power Rating (kW)	N/A	
Battery Installed Capacity (kWh)	340	Charger Compatibility	DC	Hydrogen Storage Capacity (kg)	N/A	
Battery Usable Capacity (kWh)*	272	Charge time from 20-80% SOC**	2-6 hours	Hydrogen Storage Pressure (bar)	N/A	

* Recommended manufacturer guideline, subject to warranty

** Based on manufacturer estimate

Declared fuel, properties and source plus carbon conversion factors

Well-to-Tank Factor:	Electricity	80.92	g CO ₂ e / MJ	Fuel Provider	UK market standard	WTT evidence	DBEIS Conversion 2021
Well-to-Tank Factor:	Hydrogen	N/A	g CO ₂ e / MJ	Capacity of Tanker (kg)	N/A	Fuel Type / Pathway	UK Grid Electricity
Energy Density	Hydrogen	120	MJ / kg	Transport Distance of Hydrogen (km)	N/A	Energy Source	UK Grid

Emissions and Energy consumption results from approved test facility - Average 4 tests

Test Phase	HC (g/km)	CO (g/km)	NOx (g/km)	PM (g/km)	CO ₂ (g/km)	CH ₄ (g/km)*	N ₂ O (g/km)*	Total Energy Consumption (kWh)	Vehicle Energy Consumption (kWh/km)	Grid Electrical Energy Consumption (kWh/ 100km)
Outer Urban	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4.55	0.70	81.40
Inner Urban	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2.42	0.96	111.63
Rural	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4.23	0.57	66.28
LBC Average	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6.97	0.78	90.70
UK BUS Average	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11.20	0.68	79.07

Zero Emissions (Z.E.) Range: Energy consumption and charging efficiency

Test Charger Used	40kW	Total measured energy consumed on vehicle (kWh) ¹	48.00	Max ZE Range at 100% SOC (km)	400
Hydrogen Energy Over Test (kWh)	N/A	Measured grid energy during charging (kWh)	110.00	Max ZE Range at 80% SOC (km)	320
Hydrogen Delivered to Vehicle (kg)	N/A	Grid-to-Wheel efficiency (%) ²	86%	Test Distance Travelled (km)	65

¹ Total measured energy may include energy used during the 23 minute warmup, this is needed for charge efficiency calculation.

² Grid to Wheel efficiency represents the total energy losses between the grid and the wheels of the bus.

Calculated total Well-to-Wheel GHG CO₂ equivalent emissions over test

Test Phase	Fuel Energy (MJ / km)	Fuel WTT*GHG Emissions (g CO ₂ e / km)	Electrical Energy (MJ / km)	Electricity WTT* GHG Emissions (g CO ₂ e / km)	Data Generated by (On behalf of Test facility):	Date:
Outer Urban	N/A	N/A	2.93	237.11	Data Approved by:	Date:
Inner Urban	N/A	N/A	4.02	325.19		
Rural	N/A	N/A	2.39	193.08		
LBC Average	N/A	N/A	3.27	264.21		
UK BUS Average	N/A	N/A	2.85	230.34		

Zero Emission Bus Certificate Summary

Test Vehicle		Average Euro VI Diesel Equivalent	
Greenhouse Gas Emissions: Well-to-Wheel	230.3 g CO ₂ e / km	Average Diesel GHG Emissions Equivalent	1403 g CO ₂ e / km
WTW CO ₂ per passenger km (@ Max Pass Capacity)	2.4 g CO ₂ e/pass km	WTW CO ₂ per passenger km (@ Max Pass Capacity)	14.3 g CO ₂ e/pass km
Overall Zero Emission Bus Performance			
WTW GHG saving	1172.8 g CO ₂ e / km	Maximum Theoretical Zero Emission Range (km)	400.0
% WTW GHG saving	84% g CO ₂ e / km	Vehicle Energy Consumption (kWh/ km)	0.68
Approved as Zero Emission Bus? (50% GHG saving or more)			YES

* WTT : Well-to-Tank

** TTW : Tank-to-Wheel

*** WTW : Well-to Wheel

COMMENTS:	Heating Requirement			
	Target Temperatures ±2 (°C) :			
	Cell	Lower Saloon	Upper Saloon	
	10	17	17	
	Average Temperatures across testing (°C)	10.01	18.00	16.40

Test Numbers: 20220413_0851_2xUKBC, 20220413_1056_2xUKBC

 Certificate approved by: Brian Maybin
 On behalf of Bus manufacturer: Brian Maybin (Aug 5, 2022 14:19 GMT+1)

Aug 5, 2022

 Certificate Approved by: Dan Hayes
 On behalf of DfT / Zemo Partnership: Daniel Hayes 05.08.2022

ZEB_Certificate_Wrightbus_Electroliner_340kWh_15000kg_Electric_August_22

Final Audit Report

2022-08-05

Created:	2022-08-05
By:	Zemo Partnership (admin@zemo.org.uk)
Status:	Signed
Transaction ID:	CBJCHBCAABAAeoB-ziN6zkgO_E0ESDa4NK3iEkLFoEDf

"ZEB_Certificate_Wrightbus_Electroliner_340kWh_15000kg_Electric_August_22" History

-  Document created by Zemo Partnership (admin@zemo.org.uk)
2022-08-05 - 1:05:04 PM GMT- IP address: 79.67.174.125
-  Document emailed to brian.maybin@wrightbus.com for signature
2022-08-05 - 1:06:06 PM GMT
-  Email viewed by brian.maybin@wrightbus.com
2022-08-05 - 1:10:42 PM GMT- IP address: 104.28.40.140
-  Signer brian.maybin@wrightbus.com entered name at signing as Brian Maybin
2022-08-05 - 1:19:04 PM GMT- IP address: 188.31.76.75
-  Document e-signed by Brian Maybin (brian.maybin@wrightbus.com)
Signature Date: 2022-08-05 - 1:19:05 PM GMT - Time Source: server- IP address: 188.31.76.75
-  Agreement completed.
2022-08-05 - 1:19:05 PM GMT