

## Zero Emission Bus Certificate

<b>Customer:</b> Volvo Group UK Ltd		<b>DYNAMOMETER SETTINGS</b>			
<b>Customer Address:</b>	Dept 86100, ARAK3 S, SE-405 08, Gothenburg	<b>Telematics Capability</b>	Yes	<b>Test Weight</b>	14579 kg
<b>Test Purpose:</b>	Zero Emission Bus Testing	<b>Maximum Speed (km/h)</b>	80 km/h	<b>F°</b>	789.20 N
<b>Vehicle Manufacturer:</b>	Volvo Group UK Ltd	<b>Seated Capacity</b>	43	<b>F<sup>1</sup></b>	6.4041 N/kmh
<b>Vehicle Model Name:</b>	BZL Single Deck	<b>Passenger Capacity</b>	86	<b>F<sup>2</sup></b>	0.1303 N/kmh <sup>2</sup>
<b>Powertrain Technology:</b>	Battery Electric	<b>Declared Unladen Weight (kg)</b>	13098	<b>Equivalent test passengers</b>	21.75 passengers
<b>Powertrain Configuration:</b>	Direct Drive	<b>Gross Weight (kg)</b>	19500	<b>Measured Unladen Weight</b>	13167 kg
<b>Zero Emission Heating:</b>	CO2 Heat Pump & PTC Heaters	<b>GVW Check</b>	OK	<b>Number of consecutive tests completed</b>	4 Tests
<b>Battery Specification</b>		<b>Charging and Refuelling Capability</b>		<b>Hydrogen Specification</b>	
<b>Battery Manufacturer</b>	N/A	<b>Plug Type</b>	CCS 2 & OppCharge	<b>Fuel Cell Manufacturer</b>	N/A
<b>Battery Chemistry</b>	NCA	<b>Max Charge Capability (kW)</b>	Up to 150kW /300kW	<b>Fuel Cell Power Rating (kW)</b>	N/A
<b>Battery Installed Capacity (kWh)</b>	376	<b>Charger Compatibility</b>	DC / OppCharge	<b>Hydrogen Storage Capacity (kg)</b>	N/A
<b>Battery Usable Capacity (kWh)*</b>	300	<b>Charge time from 20-80% SOC**</b>	2-4 hours	<b>Hydrogen Storage Pressure (bar)</b>	N/A

\* Recommended manufacturer guideline, subject to warranty

\*\* Based on manufacturer estimate

### Declared fuel, properties and source plus carbon conversion factors

<b>Well-to-Tank Factor: Electricity</b>	80.92	g CO <sub>2</sub> e / MJ	<b>Fuel Provider</b>	UK market standard	<b>WTT evidence</b>	DBEIS Conversion 2021
<b>Well-to-Tank Factor: Hydrogen</b>	N/A	g CO <sub>2</sub> e / MJ	<b>Capacity of Tanker (kg)</b>	N/A	<b>Fuel Type / Pathway</b>	UK Grid Electricity
<b>Energy Density Hydrogen</b>	120	MJ / kg	<b>Transport Distance of Hydrogen (km)</b>	N/A	<b>Energy Source</b>	UK Grid

### Emissions and Energy consumption results from approved test facility - Average 4 tests

Test Phase	HC (g/km)	CO (g/km)	NOx (g/km)	PM (g/km)	CO <sub>2</sub> (g/km)	CH <sub>4</sub> (g/km)*	N <sub>2</sub> O (g/km)*	Total Energy Consumption (kWh)	Vehicle Energy Consumption (kWh/km)	Grid Electrical Energy Consumption (kWh/ 100km)
Outer Urban	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7.93	1.23	143.54
Inner Urban	N/A	N/A	N/A	N/A	N/A	N/A	N/A	2.79	1.12	131.00
Rural	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6.88	0.93	109.19
LBC Average	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10.71	1.20	140.01
<b>UK BUS Average</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17.59	1.08	126.10

### Zero Emissions (Z.E.) Range: Energy consumption and charging efficiency

<b>Test Charger Used</b>	22 kW	<b>Total measured energy consumed on vehicle (kWh)<sup>1</sup></b>	105.55	<b>Max ZE Range at 100% SOC (km)</b>	278
<b>Hydrogen Energy Over Test (kWh)</b>	N/A	<b>Measured grid energy during charging (kWh)</b>	123.48	<b>Max ZE Range at 80% SOC (km)</b>	223
<b>Hydrogen Delivered to Vehicle (kg)</b>	N/A	<b>Grid-to-Wheel efficiency (%)<sup>2</sup></b>	85%	<b>Test Distance Travelled (km)</b>	65

<sup>1</sup> Total measured energy may include energy used during the 23 minute warmup, this is needed for charge efficiency calculation.

<sup>2</sup> Grid to Wheel efficiency represents the total energy losses between the grid and the wheels of the bus.

### Calculated total Well-to-Wheel GHG CO<sub>2</sub> equivalent emissions over test

Test Phase	Fuel Energy (MJ / km)	Fuel WTT*GHG Emissions (g CO <sub>2</sub> e / km)	Electrical Energy (MJ / km)	Electricity WTT* GHG Emissions (g CO <sub>2</sub> e / km)
Outer Urban	N/A	N/A	5.17	418.15
Inner Urban	N/A	N/A	4.72	381.61
Rural	N/A	N/A	3.93	318.09
LBC Average	N/A	N/A	5.04	407.87
<b>UK BUS Average</b>	N/A	N/A	4.54	367.34

Data Generated by (On behalf of Test facility): \_\_\_\_\_ Date: \_\_\_\_\_  
Data Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

### Zero Emission Bus Certificate Summary

Test Vehicle	Average Euro VI Diesel Equivalent				
<b>Greenhouse Gas Emissions: Well-to-Wheel</b>	367.3	g CO <sub>2</sub> e / km	<b>Average Diesel GHG Emissions Equivalent</b>	1290	g CO <sub>2</sub> e / km
<b>WTW CO<sub>2</sub> per passenger km (@ Max Pass Capacity)</b>	4.3	g CO <sub>2</sub> e/pass km	<b>WTW CO<sub>2</sub> per passenger km (@ Max Pass Capacity)</b>	15.0	g CO <sub>2</sub> e/pass km
<b>Overall Zero Emission Bus Performance</b>					
<b>WTW GHG saving</b>	922.8	g CO <sub>2</sub> e / km	<b>Maximum Theoretical Zero Emission Range (km)</b>	277.8	
<b>% WTW GHG saving</b>	72%	g CO <sub>2</sub> e / km	<b>Vehicle Energy Consumption (kWh/ km)</b>	1.08	
<b>Approved as Zero Emission Bus? (50% GHG saving or more)</b>				<b>YES</b>	

\* WTT : Well-to-Tank

\*\* TTW : Tank-to-Wheel

\*\*\* WTW : Well-to Wheel

<b>COMMENTS:</b> Emission results marked in red are below detection levels. LBC = London Bus Cycle - Inner & Outer Urban phases of UKBC only. Certification based on previous Volvo 7900e test results, with updated weight and battery capacity.	<b>Heating Requirement</b>	<b>Cell</b>	<b>Lower Saloon</b>	<b>Upper Saloon</b>
	<b>Target Temperatures ±2 (°C) :</b>	10	17	17
	<b>Average Temperatures across testing (°C)</b>	9.41	16.05	N/A

**Test Numbers:** ML02018887 (10-Oct-19), ML02018888 (10-Oct-19), ML02018889 (10-Oct-19), ML02018890 (10-Oct-19), ML02018891 (10-Oct-19), ML02018892 (10-Oct-19).

Certificate approved by: On behalf of Bus manufacturer	Phil Fletcher 07.04.22	Certificate Approved by: On behalf of DfT / Zemo Partnership	Daniel Hayes 17.08.22
-----------------------------------------------------------	---------------------------	-----------------------------------------------------------------	--------------------------